



## Insecticides Registered for Home Owner Control of Bagworms

Source: 2007 General Use Pesticides for Ornamentals

Woody Plants, Annuals and Perennials  
Ohio State University Extension



Insecticide
Bacillus thuringiensis (Dipel 2X)
carbaryl (Sevin 50WP)
BiFenthrin
Cyfluthrin
Malathion (Malathion 57EC) <i>Do not apply to Canaerti juniper</i> <u>Do Not</u> use above 85 degrees
permethrin (Eight 2.5EC)
Beta-cyfluthrin + Imidacloprid
Spinosad
acephate (Orthene 9.4%EC) <i>Do not apply a to elm, crabapple, maple, cottonwood, redbud or weigelia</i>

**Note 1:** Wettable powders are less likely to cause injury to host plants than liquid formulations.

**Note 2:** Do not use oils or soap products on blue-colored foliage plants (blue spruce, etc) It causes the plant to lose it's blue color. New growth will come back in blue.

- ◆ Use all insecticides with caution to avoid injury to bees, animals, or excessive exposure to humans.
- ◆ Always read, understand, and follow label directions. ***Remember that the label is the law.***
- ◆ Use the product according to label directions and dispose of empty containers as directed by the label. Labels change rapidly so re-read with each new purchase.

Where trade names are used, no discrimination is intended and no endorsement by Ohio State University Extension is implied. Although every attempt is made to produce information that is complete, timely, and accurate, the pesticide user bears responsibility of consulting the pesticide label and adhering to those directions.